

2024 PRICE LIST OCS LINE

COFFEE MACHINES
Bean to Cup
Portioned

SOFTWARE

ACCESSORIES

2024 PRICE LIST OCS LINE

COFFEE MACHINES
Bean to Cup
Portioned

SOFTWARE

ACCESSORIES

ED. 01/2024 - Validity from 1 January 2024

Bean to Cup

Phedra Evo Espresso



			S pecial V oltage	S pecial V oltage
Model	9J0886 (former 9J0686) OCS PHEDRA EVO 7GR 1C3 RI 230/50 BLK	9J0887 (former 9J0687) OCS PHEDRA EVO 9GR IC3 RI 230/50 BLK	9J0891 (former 9J0691) OCS PHEDRA EVO 7GR IC3 RI 220/60 BLK	9J0892 (former 9J0692) OCS PHEDRA EVO 9GR IC3 RI 220/60 BLK
Dimensions ($w \times h \times d$)	393 × 695 × 508 mm			
Weight	36.5 kg	36.5 kg	36.5 kg	36.5 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	230 V/50 Hz	220 V/60 Hz	220 V/60 Hz
Absorbed power	1400 W	1400 W	1400 W	1400 W
Plug type	in customer kit	in customer kit	in customer kit	in customer kit
Boiler	I - 300 cc			
Coffee bean container		I	I	I
Brewing group	7 gr	9 gr	7 gr	9 gr
Instant container	3	3	3	3
Coffee bean container capacity	l kg	l kg	l kg	l kg
Water tank capacity	-	-	-	-
Coffee ground capacity	50	50	50	50
Number of direct selections	8	8	8	8
Internal configuration	I tea spiral + I mixer	2 mixers	2 mixers	2 mixers
Compatible payment system	EXE/MDB/BDV	EXE/MDB/BDV	EXE/MDB/BDV	EXE/MDB/BDV
Number of machines per pallet	8	8	8	8
Price	€ 3090	€ 3090	€ 3090	€ 3090

Customer kits					Price	
9J0874 (former 9J0674)	Ocs Phedra Evo Ita/Eng customer kit	•	•	•	•	€ 52
9J0873 (former 9J0673)	Ocs Phedra Evo Ita customer kit	•	•	•	•	€ 52
9J0679 (former 9J0879)	Ocs Phedra Evo Fra customer kit	•	•	•	•	€ 52
9J0877 (former 9J0677)	Ocs Phedra Evo Spa customer kit	•	•	•	•	€ 52
9J0872 (former 9J0672)	Ocs Phedra Evo De customer kit	•	•	•	•	€ 52
9J0871 (former 9J0671)	Ocs Phedra Evo Blx customer kit	•	•	•	•	€ 52
9J0875 (former 9J0675)	Ocs Phedra Evo Por customer kit	•	•	•	•	€ 52
9J0876 (former 9J0676)	Ocs Phedra Evo Ra customer kit	•	•	•	•	€ 52
9J0880 (former 9J0680)	Ocs Phedra Evo Aus customer kit	•	•	•	•	€ 52
9J0878 (former 9J0678)	Ocs Phedra Evo Korea customer kit	•	•	•	•	€ 52

 $\label{eq:controller} \text{Each machine must be ordered complete with the customer kit specific for the country of destination.}$

Accessories					Price	
9J0865 (former 9J0665)	Phedra Evo customization coin acceptor kit	•	•	•	•	€ 78
9J0862 (former 9J0662)	Phedra Evo lighting kit	•	•	•	•	€ 78
9J0867 (former 9J0667)	Eva Dts kit with serial port	•	•	•	•	€ 84
9J0663	Eva Dts kit with infrared port	•	•	•	•	€ 105
9J0864 (former 9J0664)	5-buttons keypad kit	•	•	•	•	€ 42

Phedra Evo Espresso



	S pecial V oltage	S pecial V oltage	S pecial V oltage
Model	9J0897 (former 9J0697) OCS PHEDRA EVO 7G IC3 220/60 RI BLK NP BR	9J0883 (former 9J0683) OCS PHEDRA EVO 9GR IC3 KOREA 220V 60HZ	9J0895 (former 9J0695) OCS PHEDRA EVO 9GR IC3 RI 120/60 BLK
Dimensions ($w \times h \times d$)	393 × 695 × 508 mm	393 × 695 × 508 mm	393 × 695 × 508 mm
Weight	36.5 kg	36.5 kg	36.5 kg
Colour	black	black	black
Power supply	220 V/60 Hz	220 V/60 Hz	120 V/60 Hz
Absorbed power	1400 W	1400 W	1400 W
Plug type	in customer kit	in customer kit	in customer kit
Boiler	I - 300 cc	I - 300 cc	I - 300 cc
Coffee bean container	1		
Brewing group	7 gr	9 gr	9 gr
Instant container	3	3	3
Coffee bean container capacity	l kg	l kg	l kg
Water tank capacity	-	-	-
Coffee ground capacity	50	50	50
Number of direct selections	8	8	8
Internal configuration	I tea spiral + I mixer	2 mixers	I tea spiral + I mixer
Compatible payment system	N/A	EXE/MDB/BDV	EXE/MDB/BDV
Number of machines per pallet	8	8	8
Price	€ 3090	€ 3090	€ 3705

Customer kits					Price
9J0874 (former 9J0674)	Ocs Phedra Evo Ita/Eng customer kit	•	•	•	€ 52
9J0873 (former 9J0673)	Ocs Phedra Evo Ita customer kit	•	•	•	€ 52
9J0879 (former 9J0679)	Ocs Phedra Evo Fra customer kit	•	•	•	€ 52
9J0877 (former 9J0677)	Ocs Phedra Evo Spa customer kit	•	•	•	€ 52
9J0872 (former 9J0672)	Ocs Phedra Evo De customer kit	•	•	•	€ 52
9J0871 (former 9J0671)	Ocs Phedra Evo Blx customer kit	•	•	•	€ 52
9J0875 (former 9J0675)	Ocs Phedra Evo Por customer kit	•	•	•	€ 52
9J0876 (former 9J0676)	Ocs Phedra Evo Ra customer kit	•	•	•	€ 52
9J0880 (former 9J0680)	Ocs Phedra Evo Aus customer kit	•	•	•	€ 52
9J0878 (former 9J0678)	Ocs Phedra Evo Korea customer kit	•	•	•	€ 52

 $\label{eq:controller} \text{Each machine must be ordered complete with the customer kit specific for the country of destination.}$

Accessories			Price		
9J0865 (former 9J0665)	Kit personalizzazione gettoniera Phedra Evo	•	•	•	€ 78
9J0862 (former 9J0662)	Kit illuminazione Phedra Evo	•	•	•	€ 78
9J0867 (former 9J0667)	Kit Eva Dts con porta seriale	•	•	•	€ 84
9J0663	Kit Eva Dts con infrarosso	•	•	•	€ 105
9J0864 (former 9J0664)	Kit tastierino 5 pulsanti	•	•	•	€ 42

Phedra Evo Cappuccino



Model	9J0884 (former 9J0684) OCS PHEDRA EVO CAPP.7GR IC3 RI 230/50V BLK	9J0888 (former 9J0688) OCS PHEDRA EVO CAPP.9GR IC3 RI 230/50V BLK	
Dimensions ($w \times h \times d$)	393 × 695 × 508 mm	393 × 695 × 508 mm	
Weight	37.5 kg	37.5 kg	
Colour	black	black	
Power supply	230 V/50 Hz	230 V/50 Hz	
Absorbed power	1650 W	1650 W	
Plug type	in customer kit	in customer kit	
Boiler	I 300 cc boiler + I thermoblock	I 300 cc boiler + I thermoblock	
Coffee bean container	I	I	
Brewing group	7 gr	9 gr	
Instant container	3	3	
Coffee bean container capacity	l kg	l kg	
Water tank capacity	-	-	
Coffee ground capacity	50	50	
Number of direct selections	8	8	
Internal configuration	2 mixers	2 mixers	
Compatible payment system	EXE/MDB/BDV	EXE/MDB/BDV	
Number of machines per pallet	8	8	
Price	€ 3835	€ 3835	

Customer kits				Price
9J0874 (former 9J0674)	Ocs Phedra Evo Ita/Eng customer kit	•	•	€ 52
9J0873 (former 9J0673)	Ocs Phedra Evo Ita customer kit	•	•	€ 52
9J0879 (former 9J0679)	Ocs Phedra Evo Fra customer kit	•	•	€ 52
9J0877 (former 9J0677)	Ocs Phedra Evo Spa customer kit	•	•	€ 52
9J0872 (former 9J0672)	Ocs Phedra Evo De customer kit	•	•	€ 52
9J0871 (former 9J0671)	Ocs Phedra Evo Blx customer kit	•	•	€ 52
9J0875 (former 9J0675)	Ocs Phedra Evo Por customer kit	•	•	€ 52
9J0876 (former 9J0676)	Ocs Phedra Evo Ra customer kit	•	•	€ 52
9J0880 (former 9J0680)	Ocs Phedra Evo Aus customer kit	•	•	€ 52
9J0878 (former 9J0678)	Ocs Phedra Evo Korea customer kit	•	•	€ 52

 $\label{thm:customer} \mbox{Each machine must be ordered complete with the customer kit specific for the country of destination.}$

Accessories			Price	
9J0865 (former 9J0665)	Phedra Evo customization coin acceptor kit	•	•	€ 78
9J0862 (former 9J0662)	Phedra Evo lighting kit	•	•	€ 78
9J0867 (former 9J0667)	Eva Dts kit with serial port	•	•	€ 84
9J0663	Eva Dts kit with infrared port	•	•	€ 105
9J0864 (former 9J0664)	5-buttons keypad kit	•	•	€ 42
9J075 I	Milk Cooler (peltier – 1 I)	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	€ 605

Phedra Evo TTT



	S pecial V oltage	S pecial V oltage
Model	9J0893 (former 9J0693) OCS PHEDRA EVO TTT IC3 RI 120/60 BLK	9J0894 (former 9J0694) OCS PHEDRA EVO TTT IC3 RI I20/60 MEX
Dimensions ($w \times h \times d$)	393 × 695 × 508 mm	393 × 695 × 508 mm
Weight	36.5 kg	36.5 kg
Colour	black	black
Power supply	120 V/60 Hz	120 V/60 Hz
Absorbed power	1400 W	1400 W
Plug type	in customer kit	in customer kit
Boiler	I - 300 cc	I - 300 cc
Coffee bean container		
Brewing group	10.5 gr	10.5 gr
Instant container	3	3
Coffee bean container capacity	l kg	l kg
Water tank capacity	-	-
Coffee ground capacity	50	50
Number of direct selections	8	8
Internal configuration	I tea spiral + I mixer	2 mixers
Compatible payment system	EXE/MDB/BDV	EXE/MDB/BDV
Number of machines per pallet	8	8
Price	€ 3705	€ 3705

Customer kits				Price
9J0874 (former 9J0674)	Ocs Phedra Evo Ita/Eng customer kit	•	•	€ 52
9J0873 (former 9J0673)	Ocs Phedra Evo Ita customer kit	•	•	€ 52
9J0879 (former 9J0679)	Ocs Phedra Evo Fra customer kit	•	•	€ 52
9J0877 (former 9J0677)	Ocs Phedra Evo Spa customer kit	•	•	€ 52
9J0872 (former 9J0672)	Ocs Phedra Evo De customer kit	•	•	€ 52
9J0871 (former 9J0671)	Ocs Phedra Evo Blx customer kit	•	•	€ 52
9J0875 (former 9J0675)	Ocs Phedra Evo Por customer kit	•	•	€ 52
9J0876 (former 9J0676)	Ocs Phedra Evo Ra customer kit	•	•	€ 52
9J0880 (former 9J0680)	Ocs Phedra Evo Aus customer kit	•	•	€ 52
9J0878 (former 9J0678)	Ocs Phedra Evo Korea customer kit	•	•	€ 52

 $\label{eq:controller} \text{Each machine must be ordered complete with the customer kit specific for the country of destination.}$

Accessories			Price	
9J0865 (former 9J0665)	Phedra Evo customization coin acceptor kit	•	•	€ 78
9J0862 (former 9J0662)	Phedra Evo lighting kit	•	•	€ 78
9J0867 (former 9J0667)	Eva Dts kit with serial port	•	•	€ 84
9J0663	Eva Dts kit with infrared port	•	•	€ 105
9J0864 (former 9J0664)	5-buttons keypad kit	•	•	€ 42

IperAutomatica Premium



Model	9J0510 (former 9J0506) OCS IPERAUT PREMIUM 7G ICIM 230/50	9J0512 (former 9J0505) OCS IPERAUT PREMIUM 9G ICIM 230/50
Dimensions ($w \times h \times d$)	$350 \times 550 \times 560 \text{ mm}$	350 × 550 × 560 mm
Weight	28 kg	28 kg
Colour	black	black
Power supply	230 V/50 Hz	230 V/50 Hz
Absorbed power	1400 W	1400 W
Plug type	in customer kit	in customer kit
Boiler	I - 300 cc	I - 300 cc
Coffee bean container	1	I
Brewing group	7 gr	9 gr
Instant container	2	2
Coffee bean container capacity	l kg	l kg
Water tank capacity	4	4
Coffee ground capacity	25	25
Number of direct selections	8	8
Compatible payment system	EXE/MDB/BDV	EXE/MDB/BDV
Number of machines per pallet	12	12
Price	€ 2560	€ 2560

Customer kits				Price
9J0530 (former 9J0570)	Ocs IperAutomatica Ita/Eng customer kit	•	•	€ 52
9J0544 (former 9J0584)	Ocs IperAutomatica Ita customer kit	•	•	€ 165
9J0531 (former 9J0571)	Ocs IperAutomatica Fra customer kit	•	•	€ 52
9J0533 (former 9J0573)	Ocs IperAutomatica Spa customer kit	•	•	€ 52
9J0532 (former 9J0572)	Ocs IperAutomatica De customer kit	•	•	€ 52
9J0535 (former 9J0575)	Ocs IperAutomatica Blx customer kit	•	•	€ 52
9J0534 (former 9J0574)	Ocs IperAutomatica Por customer kit	•	•	€ 52
9J0536 (former 9J0576)	Ocs IperAutomatica Ch customer kit	•	•	€ 52
9J0538 (former 9J0578)	Ocs IperAutomatica Ra customer kit	•	•	€ 52
9J0537 (former 9J0577)	Ocs IperAutomatica Bra customer kit	•	•	€ 52
9J0539 (former 9J0579)	Ocs IperAutomatica NI+Ru customer kit	•	•	€ 52
9J0580	Ocs IperAutomatica C&Sa customer kit	•	•	€ 47

Each machine must be ordered complete with the customer kit specific for the country of destination.

Accessories				Price
9J0549 (former 9J0589)	IperAutomatica water discharge kit	•	•	€31
9J0545 (former 9J0585)	IperAutomatica water net connection kit	•	•	€ 115
9J0548 (former 9J0588)	IperAutomatica hot water Ev kit	•	•	€ 52
9J0541 (former 9J0581)	Coffee grid kit	•	•	€ 37
10005310	IperAutomatica cabinet (black)	•	•	€ 720
9J0540 (former 9J0590)	IperAutomatica coin box kit	•	•	€ 170

IperAutomatica Premium



		S pecial V oltage	S pecial V oltage
Model	9J0513 (former 9J0508)	9J05 I I (former 9J0509)	9J05 I 4 (former 9J0507)
	OCS IPERAUT PREMIUM 7G ICIM 230/50 AR	OCS IPERAUT PREMIUM 9G ICIM 120/60	OCS IPERAUT PREMIUM 7G ICIM 220/60 NP
Dimensions ($w \times h \times d$)	350 × 550 × 560 mm	350 × 550 × 560 mm	350 × 550 × 560 mm
Weight	28 kg	28 kg	28 kg
Colour	black	black	black
Power supply	230 V/50 Hz	120 V/60 Hz	220 V/60 Hz
Absorbed power	1400 W	1400 W	1400 W
Plug type	in customer kit	in customer kit	BRA plug inside
Boiler	I - 300 cc	I - 300 cc	I - 300 cc
Coffee bean container	I	I	I
Brewing group	7 gr	9 gr	7 gr
Instant container	2	2	2
Coffee bean container capacity	l kg	l kg	l kg
Water tank capacity	4	4	4
Coffee ground capacity	25	25	25
Number of direct selections	8	8	8
Compatible payment system	EXE/MDB/BDV	EXE/MDB/BDV	N/A
Number of machines per pallet	12	12	12
Price	€ 2650	€ 2820	€ 2560

Customer kits					Price
9J0530 (former 9J0570)	Ocs IperAutomatica Ita/Eng customer kit	•	•	•	€ 52
9J0544 (former 9J0584)	Ocs IperAutomatica Ita customer kit	•	•	•	€ 165
9J0531 (former 9J0571)	Ocs IperAutomatica Fra customer kit	•	•	•	€ 52
9J0533 (former 9J0573)	Ocs IperAutomatica Spa customer kit	•	•	•	€ 52
9J0532 (former 9J0572)	Ocs IperAutomatica De customer kit	•	•	•	€ 52
9J0535 (former 9J0575)	Ocs IperAutomatica Blx customer kit	•	•	•	€ 52
9J0534 (former 9J0574)	Ocs IperAutomatica Por customer kit	•	•	•	€ 52
9J0536 (former 9J0576)	Ocs IperAutomatica Ch customer kit	•	•	•	€ 52
9J0538 (former 9J0578)	Ocs IperAutomatica Ra customer kit	•	•	•	€ 52
9J0537 (former 9J0577)	Ocs IperAutomatica Bra customer kit	•	•	•	€ 52
9J0539 (former 9J0579)	Ocs IperAutomatica NI+Ru customer kit	•	•	•	€ 52
9J0580	Ocs IperAutomatica C&Sa customer kit	•	•	•	€ 47

Each machine must be ordered complete with the customer kit specific for the country of destination.

Accessories			Price		
9J0549 (former 9J0589)	IperAutomatica water discharge kit	•	•	•	€31
9J0545 (former 9J0585)	IperAutomatica water net connection kit	•	•	•	€ 115
9J0548 (former 9J0588)	IperAutomatica hot water Ev kit	•	•	•	€ 52
9J0541 (former 9J0581)	Coffee grid kit	•	•	•	€ 37
10005310	IperAutomatica cabinet (black)	•	•	•	€ 720
9J0540 (former 9J0590)	IperAutomatica coin box kit	•	•	•	€ 170

Magic M2+



Model	9J0401	9J0405
	OCS SAE MAGIC M2+ 230/50	OCS SAE MAGIC M2+ 230/50 APAC
Dimensions ($w \times h \times d$)	280 × 470 × 481 mm	280 × 470 × 481 mm
Weight	15.3 kg	15.3 kg
Colour	silver	silver
Power supply	230 V/50 Hz	230 V/50 Hz
Absorbed power	1900-2200 W	1900-2200 W
Plug type	SCH	SCH - CHN - AUS
Boiler	2 thermoblocks	2 thermoblocks
Water supply connection	yes	yes
Coffee bean container	1	I
Brewing group	8.5 - 15 gr	8.5 - 15 gr
High speed milk	yes	yes
Coffee bean container capacity	I.I kg	I.I kg
Water tank capacity	4	41
Coffee ground capacity	up to 30	up to 30
Number of direct selections	customizable	customizable
Compatible payment system	MDB / Saeco Pro.Up	MDB / Saeco Pro.Up
Number of machines per pallet	12	12
Price	€ 2795	€ 2795

Maintenance accessories included in the machine				Price
21002662	Milk circuit cleaning powder	√	•	*
21002660	Brita Intenza filter	√	•	*
21002661	Brita Mavea filter	x	x	操
21002663	Coffee clean tablets	√	•	*
421946017941	Lubricating grease	√	√	*
127390100	Cleaning brush	√	√	*
0301.961	Water hardness tester	√	√	*

 $^{{\}rm *To~be~ordered~via~e-commerce~-~following~e-commerce~discounts~-~https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories				Price
9J075 I	Milk Cooler (peltier – I I)	•	•	€210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	€ 605
9J0480	Magic external tank kit	x	х	€ 30
9J0481	Magic liquid drain kit	•	•	€ 65

Magic M2+



	S pecial V oltage	S pecial V oltage	S pecial V oltage
Model	9J0406	9J0408	9J0404
	OCS SAE MAGIC M2+ 220/60 KOR	OCS SAE MAGIC M2+ BRA 220/60	OCS SAE MAGIC M2+ I 20/60
Dimensions (w \times h \times d)	280 × 470 × 481 mm	280 × 470 × 481 mm	280 × 470 × 481 mm
Weight	15.3 kg	15.3 kg	15.3 kg
Colour	silver	silver	black
Power supply	220 V/60 Hz	220 V/60 Hz	120 V/60 Hz
Absorbed power	1900-2200 W	1900-2200 W	1300 W
Plug type	KOR	BRA	USA
Boiler	2 thermoblocks	2 thermoblocks	2 thermoblocks
Water supply connection	yes	yes	no
Coffee bean container	1	I	1
Brewing group	8.5 - 15 gr	8.5 - 15 gr	8.5 - 15 gr
High speed milk	yes	yes	no
Coffee bean container capacity	I.I kg	I.I kg	1.1 kg
Water tank capacity	4	41	4
Coffee ground capacity	up to 30	up to 30	up to 30
Number of direct selections	customizable	customizable	customizable
Compatible payment system	MDB / Saeco Pro.Up	no	MDB / Saeco Pro.Up
Number of machines per pallet	12	12	12
Price	€ 2795	€ 2795	€ 2930

Maintenance accessories included in the machine				Price	
21002662 Milk circuit cleaning powder ✓ ✓ ✓					*
21002660	Brita Intenza filter	√	√	x	*
21002661	Brita Mavea filter	x	х	√	*
21002663	Coffee clean tablets	√	√	√	*
421946017941	Lubricating grease	√	√	√	*
127390100	Cleaning brush	√	√	√	*
0301.961	Water hardness tester	√	√	√	*

 $^{{\}rm *To}\ be\ ordered\ via\ e-commerce\ -\ following\ e-commerce\ discounts\ -\ https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessorie	es				Price
9J075 I	Milk Cooler (peltier – I I)	•	•	•	€210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	•	€ 605
9J0480	Magic external tank kit	х	х	x	€ 30
9J0481	Magic liquid drain kit	•	•	•	€ 65

Magic M2



Special **V**oltage

			, 0
Model	9J0400	9J0402	9J0403
	OCS SAE MAGIC M2 230/50	OCS SAE MAGIC M2 230/50 APAC	OCS SAE MAGIC M2 220/60 KOR
Dimensions ($w \times h \times d$)	280 × 470 × 481 mm	280 × 470 × 481 mm	280 × 470 × 481 mm
Weight	14.8 kg	14.8 kg	14.8 kg
Colour	silver	silver	silver
Power supply	230 V/50 Hz	230 V/50 Hz	220 V/60 Hz
Absorbed power	1900-2200 W	1900-2200 W	1900-2200 W
Plug type	SCH	SCH - CHN - AUS	KOR
Boiler	2 thermoblocks	2 thermoblocks	2 thermoblocks
Water supply connection	no	no	no
Coffee bean container	I	ı	I
Brewing group	8.5 - 15 gr	8.5 - 15 gr	8.5 - 15 gr
High speed milk	yes	yes	yes
Coffee bean container capacity	I.I kg	I.I kg	I.I kg
Water tank capacity	4	4	4
Coffee ground capacity	up to 30	up to 30	up to 30
Number of direct selections	customizable	customizable	customizable
Compatible payment system	MDB / Saeco Pro.Up	MDB / Saeco Pro.Up	MDB / Saeco Pro.Up
Number of machines per pallet	12	12	12
Price	€ 2635	€ 2635	€ 2635

Maintenance accessories included in the machine				Price	
21002662	Milk circuit cleaning powder	√	•	√	*
21002660	Brita Intenza filter	√	√	√	*
21002661	Brita Mavea filter	x	х	x	*
21002663	Coffee clean tablets	√	•	√	*
421946017941	Lubricating grease	√	√	√	*
127390100	Cleaning brush	√	√	√	*
0301.961	Water hardness tester	√	√	√	*

 $^{{\}rm *To~be~ordered~via~e-commerce~-~following~e-commerce~discounts~-~https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessorie	es				Price
9J075 I	Milk Cooler (peltier – 1 I)	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	•	€ 605
9J0480	Magic external tank kit	•	•	•	€ 30
9J0481	Magic liquid drain kit	•	•	•	€ 65

Magic M1



Model	9J0450	9J0451
	OCS SAE MAGIC MI 230/50	OCS SAE MAGIC MI 230/50 APAC
Dimensions (w \times h \times d)	280 × 435 × 481 mm	280 × 470 × 481 mm
Weight	14.3 kg	14.3 kg
Colour	black	black
Power supply	230 V/50 Hz	230 V/50 Hz
Absorbed power	1900-2200 W	1900-2200 W
Plug type	SCH	SCH - CHN - AUS
Boiler	2 thermoblocks	2 thermoblocks
Water supply connection	no	no
Coffee bean container	I	1
Brewing group	8.5 - 15 gr	8.5 - 15 gr
High speed milk	yes	yes
Coffee bean container capacity	600 gr	600 gr
Water tank capacity	2.5	2.5
Coffee ground capacity	up to 30	up to 30
Number of direct selections	customizable	customizable
Compatible payment system	MDB / Saeco Pro.Up	MDB / Saeco Pro.Up
Number of machines per pallet	12	12
Price	€ 2325	€ 2325

Maintenance accessories included in the machine			Price	
21002662	Milk circuit cleaning powder	√	•	*
21002660	Brita Intenza filter	√	√	*
21002661	Brita Mavea filter	х	х	*
21002663	Coffee clean tablets	√	•	*
421946017941	Lubricating grease	√	√	*
127390100	Cleaning brush	√	√	*
0301.961	Water hardness tester	1	V	*

 $[\]hbox{*To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessori	ies			Price
9J075 I	Milk Cooler (peltier – 1 I)	•	•	€210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	€ 605
9J0480	Magic external tank kit	•	•	€ 30
9 048	Magic liquid drain kit	•	•	€ 65

Magic M1



	S pecial V oltage	S pecial V oltage
Model	9J0453	9J0452
	OCS SAE MAGIC MI 220/60 BRA	OCS SAE MAGIC MI 120/60 UL
Dimensions $(w \times h \times d)$	280 × 435 × 481 mm	280 × 470 × 481 mm
Weight	14.3 kg	14.3 kg
Colour	black	black
Power supply	220 V/60 Hz	120 V/60 Hz
Absorbed power	1900-2200 W	1300 W
Plug type	BRA	USA
Boiler	2 thermoblocks	2 thermoblocks
Water supply connection	no	no
Coffee bean container	I	I
Brewing group	8.5 - 15 gr	8.5 - 15 gr
High speed milk	yes	no
Coffee bean container capacity	600 gr	600 gr
Water tank capacity	2.5	2.5
Coffee ground capacity	up to 30	up to 30
Number of direct selections	customizable	customizable
Compatible payment system	no	MDB / Saeco Pro.Up
Number of machines per pallet	12	12
Price	€ 2325	€ 2430

Maintenance accessories included in the machine			Price	
21002662	Milk circuit cleaning powder	√	√	sje
21002660	Brita Intenza filter	√	x	*
21002661	Brita Mavea filter	x	√	*
21002663	Coffee clean tablets	√	√	*
421946017941	Lubricating grease	√	√	*
127390100	Cleaning brush	√	√	*
0301.961	Water hardness tester	√	√	*

 $[\]hbox{*To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessorie	es			Price
9J0751	Milk Cooler (peltier – 1 I)	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	€ 605
9J0480	Magic external tank kit	•	•	€ 30
9J0481	Magic liquid drain kit	•	•	€ 65

Magic B2+



Model	9J0426
	OCS SAE MAGIC B2+ 230/50
Dimensions (w \times h \times d)	280 × 470 × 481 mm
Weight	13.8 kg
Colour	black
Power supply	230 V/50 Hz
Absorbed power	1300-1400 W
Plug type	SCH
Boiler	I thermoblock
Water supply connection	yes
Coffee bean container	1
Brewing group	8.5 - 15 gr
High speed milk	no
Coffee bean container capacity	I.I kg
Water tank capacity	4
Coffee ground capacity	up to 30
Number of direct selections	customizable
Compatible payment system	MDB / Saeco Pro.Up
Number of machines per pallet	12
Price	€ 2280

Maintenance accessories included in the machine			Price
21002662	Milk circuit cleaning powder	•	*
21002660	Brita Intenza filter	√	*
21002661	Brita Mavea filter	x	*
21002663	Coffee clean tablets	√	*
421946017941	Lubricating grease	√	*
127390100	Cleaning brush	√	*
0301.961	Water hardness tester	√	*

 $^{{\}rm *To~be~ordered~via~e\text{-}commerce~-} \ following~e\text{-}commerce~discounts~-~https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories			Price
9J0480	Magic external tank kit	x	€ 30
9J0481	Magic liquid drain kit	•	€ 65

Magic B2



Model	9J0425
	OCS SAE MAGIC B2 230/50
Dimensions (w \times h \times d)	280 × 470 × 481 mm
Weight	13.3 kg
Colour	black
Power supply	230 V/50 Hz
Absorbed power	1300-1400 W
Plug type	SCH
Boiler	I thermoblock
Water supply connection	no
Coffee bean container	1
Brewing group	8.5 - 15 gr
High speed milk	no
Coffee bean container capacity	1.1 kg
Water tank capacity	4
Coffee ground capacity	up to 30
Number of direct selections	customizable
Compatible payment system	MDB / Saeco Pro.Up
Number of machines per pallet	12
Price	€ 2120

Maintenance accessories included in the machine		Price	
21002662	Milk circuit cleaning powder	•	*
21002660	Brita Intenza filter	√	*
21002661	Brita Mavea filter	x	*
21002663	Coffee clean tablets	√	*
421946017941	Lubricating grease	√	*
127390100	Cleaning brush	√	*
0301.961	Water hardness tester	√	*

 $^{{\}rm *To~be~ordered~via~e-commerce~-~following~e-commerce~discounts~-~https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories			Price
9J0480	Magic external tank kit	•	€ 30
9J0481	Magic liquid drain kit	•	€ 65

Magic B1



Model	9J0475
	OCS SAE MAGIC BI 230/50
Dimensions (w \times h \times d)	280 × 435 × 481 mm
Weight	12.8 kg
Colour	black
Power supply	230 V/50 Hz
Absorbed power	1300-1400 W
Plug type	SCH
Boiler	I thermoblock
Water supply connection	no
Coffee bean container	I
Brewing group	8.5 - 15 gr
High speed milk	no
Coffee bean container capacity	600 gr
Water tank capacity	2.5
Coffee ground capacity	up to 30
Number of direct selections	customizable
Compatible payment system	MDB / Saeco Pro.Up
Number of machines per pallet	12
Price	€ 1895

Maintenance	Maintenance accessories included in the machine		
21002662	Milk circuit cleaning powder	•	*
21002660	Brita Intenza filter	√	*
21002661	Brita Mavea filter	x	*
21002663	Coffee clean tablets	√	*
421946017941	Lubricating grease	√	*
127390100	Cleaning brush	√	*
0301.961	Water hardness tester	√	*

 $^{{\}rm *To}\ be\ ordered\ via\ e-commerce\ -\ following\ e-commerce\ discounts\ -\ https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories			Price
9J0480	Magic external tank kit	•	€ 30
9J0481	Magic liquid drain kit	•	€ 65

Aulika Evo Top HSC RI / Top HSC



Model	10005374	10005373	10000119
	OCS SAE AULIKA EVO TOP HSC 230/50 SCH	OCS SAE AULIKA EVO TOP HSC RI 230/50 SCH	OCS SAE AULIKA EVO TOP HSC RI 240/50 AUS
Dimensions ($w \times h \times d$)	334 × 574 × 452 mm	334 × 574 × 452 mm	334 × 574 × 452 mm
Weight	22 kg	22 kg	22 kg
Colour	black	black	black
Power supply	230 V/50 Hz	230 V/50 Hz	240 V/50 Hz
Absorbed power	1400 W	1400 W	1500 W
Plug type	SCH	SCH	AUS
Boiler	2 thermoblocks	2 thermoblocks	2 thermoblocks
Water supply connection	no	yes	yes
Coffee bean container	I	1	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr
High speed milk	yes	yes	yes
Coffee bean container capacity	l kg	l kg	l kg
Water tank capacity	4	4	4
Coffee ground capacity	40	40	40
Number of direct selections	8	8	8
Compatible payment system	no	no	no
Number of machines per pallet	12	12	12
Price	€ 2450	€ 2650	€ 2650

Maintenance accessories included in the machine					Price
21002662	Milk circuit cleaning powder	√	√	√	*
21002660	Brita Intenza filter	√	√	√	*
21002661	Brita Mavea filter	x	x	х	*
21002663	Coffee clean tablets	√	√	√	*
421946017941	Lubricating grease	√	√	√	*
127390100	Cleaning brush	√	√	√	*
0301.961	Water hardness tester	√	√	√	*

 $^{{\}rm *To}\ be\ ordered\ via\ e\text{--}commerce\ -\ following\ e\text{--}commerce\ discounts\ -\ https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories					Price
9J0751	Milk Cooler (peltier – I I)	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 l)	•	•	•	€ 605
9J0192	Coin Box	•	•	•	€ 160
10005004	Aulika cabinet (black/silver)	•	•	•	€ 470

Aulika Evo Top HSC RI / Top HSC



S pecial	V oltage		S pecial	V oltage	
		1			

Model	10000145	10000047	10000131	10000152
riodei				10000132
	OCS SAE AULIKA EVO TOP HSC 220/50 CHN	OCS SAE AULIKA EVO TOP HSC 120/60 USA	OCS SAE AULIKA EVO TOP HSC RI I 20/60 TWN	OCS SAE AULIKA EVO TOP HSC RI TAI
Dimensions ($w \times h \times d$)	334 × 574 × 452 mm	334 × 574 × 452 mm	334 × 574 × 452 mm	334 × 574 × 452 mm
Weight	22 kg	22 kg	22 kg	22 kg
Colour	black	black	black	black
Power supply	220 V/50 Hz	120 V/60 Hz	120 V/60 Hz	230V/50Hz
Absorbed power	1400 W	1400 W	1400 W	1400 W
Plug type	CHN	USA	TWN	SCH
Boiler	2 thermoblocks	2 thermoblocks	2 thermoblocks	2 thermoblocks
Water supply connection	no	yes	yes	yes
Coffee bean container	I	I	1	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr	6 - 10 gr
High speed milk	yes	yes	yes	yes
Coffee bean container capacity	l kg	l kg	l kg	l kg
Water tank capacity	4	4	4	4
Coffee ground capacity	40	40	40	40
Number of direct selections	8	8	8	8
Compatible payment system	no	no	no	no
Number of machines per pallet	12	12	12	12
Price	€ 2450	€ 2905	€ 2860	€ 2650

Maintenance	Maintenance accessories included in the machine					
21002662	Milk circuit cleaning powder	√	√	x	x	*
21002660	Brita Intenza filter	x	√	√	√	*
21002661	Brita Mavea filter	x	√	x	x	*
21002663	Coffee clean tablets	√	√	x	x	*
421946017941	Lubricating grease	√	√	√	√	*
127390100	Cleaning brush	√	√	√	√	*
0301.961	Water hardness tester	√	√	√	√	*

 $[\]hbox{*To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model}\\$

Accessories					Price	
9J0751	Milk Cooler (peltier – 1 I)	•	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	•	•	€ 605
9J0192	Coin Box	•	•	•	•	€ 160
10005004	Aulika cabinet (black/silver)	•	•	•	•	€ 470

Aulika Evo Office



Special **V**oltage

		- 1	
Model	10000044	10000055	10000151
	OCS SAE AULIKA EVO OFFICE BLK 230/50 SCH	OCS SAE AULIKA EVO OFFICE BRA 220/60	OCS SAE AULIKA EVO OFFICE PS
Dimensions ($w \times h \times d$)	334 × 574 × 452 mm	334 × 574 × 452 mm	334 × 574 × 452 mm
Weight	22 kg	22 kg	22 kg
Colour	black	black	black
Power supply	230 V/50 Hz	220 V/60 Hz	230V/50Hz
Absorbed power	1400 W	1300 W	1400 W
Plug type	SCH	BRA	SCH
Boiler	I thermoblock	I thermoblock	I thermoblock
Coffee bean container	T I	I	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	l kg	l kg	l kg
Water tank capacity	4	4	4
Coffee ground capacity	40	40	40
Number of direct selections	8	8	8
Compatible payment system	no	no	yes
Number of machines per pallet	12	12	12
Price	€ 1755	€ 1755	€ 1755

Maintenance accessories included in the machine					
21002660	Brita Intenza filter	√	V	√	*
21002663	Coffee clean tablets	√	√	√	*
421946017941	Lubricating grease	√	√	√	₩:
127390100	Cleaning brush	√	√	√	*
0301.961	Water hardness tester	√	√	√	*

^{*}To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model

Accessories					Price
9J0192	Coin Box	•	•	•	€ 160
10005004	Aulika cabinet (black/silver)	•	•	•	€ 470

Aulika Evo Focus



Special **V**oltage

Model	10000040	10000120	10000133	10000057
	OCS SAE AULIKA EVO FOCUS BLK 230/50 SCH	OCS SAE AULIKA EVO FOCUS BLK 240/50 AUS	OCS SAE AULIKA EVO FOCUS BLK 220/50 CHN	OCS SAE AULIKA EVO FOCUS USA 120/60
Dimensions (w \times h \times d)	334 × 380 × 452 mm	334 × 380 × 452 mm	334 × 380 × 452 mm	334 × 380 × 452 mm
Weight	15 kg	15 kg	15 kg	15 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	240 V/50 Hz	220 V/50 Hz	120 V/60 Hz
Absorbed power	1400 W	1500 W	1400 W	1400 W
Plug type	SCH	AUS	CHN	USA
Boiler	2 thermoblocks	2 thermoblocks	2 thermoblocks	2 thermoblocks
Coffee bean container	I	I	I	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	500 gr	500 gr	500 gr	500 gr
Water tank capacity	2.5	2.5	2.5	2.5
Coffee ground capacity	18	18	18	18
Number of direct selections	8	8	8	8
Number of machines per pallet	12	12	12	12
Price	€ 1990	€ 1990	€ 1990	€2110

Maintenance accessories included in the machine						Price
21002662	Milk circuit cleaning powder	√	√	√	√	*
21002660	Brita Intenza filter	√	√	√	x	*
21002661	Brita Mavea filter	x	х	x	√	*
21002663	Coffee clean tablets	√	√	√	√	*
421946017941	Lubricating grease	√	√	√	√	*
127390100	Cleaning brush	√	√	√	√	*
0301.961	Water hardness tester	√	√	√	√	*

 $^{{\}rm *To}\ be\ ordered\ via\ e-commerce\ -\ following\ e-commerce\ discounts\ -\ https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories						Price
9J0751	Milk Cooler (peltier – I I)	•	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	•	•	€ 605
10005004	Aulika cabinet (black/silver)	•	•	•	•	€ 470

Aulika Evo Black



Model	10000045
	OCS SAE AULIKA EVO BLACK 230/50 SCH
Dimensions ($w \times h \times d$)	$334 \times 380 \times 452 \text{ mm}$
Weight	15 kg
Colour	black
Power supply	230 V/50 Hz
Absorbed power	1400 W
Plug type	SCH
Boiler	I thermoblock
Coffee bean container	1
Brewing group	6 - 10 gr
Coffee bean container capacity	500 gr
Water tank capacity	2.5
Coffee ground capacity	18
Number of direct selections	8
Number of machines per pallet	12
Price	€ 1675

Maintenance accessories included in the machine			
21002660	Brita Intenza filter	√	*
21002661	Brita Mavea filter	x	*
21002663	Coffee clean tablets	√	*
421946017941	Lubricating grease	√	*
127390100	Cleaning brush	√	*
0301.961	Water hardness tester	√ ·	*

 $^{{\}rm *To~be~ordered~via~e\text{-}commerce~-~following~e\text{-}commerce~discounts~-~https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessories			Price	
10005004	Aulika cabinet (black/silver)	•	€ 470	1

Royal OTC



			S pecial V oltage	S pecial V oltage
Model	9J0080	9J0081	9J0083	9J0085
	OCS SAE NEW ROYAL OTC 230/50	OCS SAE NEW ROYAL OTC 220/50 CHN	OCS SAE NEW ROYAL OTC BRA 220V 60Hz	OCS SAE NEW ROYAL OTC 120/60 USA+OSA
Dimensions (w \times h \times d)	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm
Weight	10 kg	10 kg	10 kg	10 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	220 V/50 Hz	220 V/60 Hz	120 V/60 Hz
Absorbed power	1400 W	1400 VV	1400 W	1400 W
Plug type	SCH	CHN	BRA	USA
Boiler	I thermoblock	I thermoblock	I thermoblock	I thermoblock
Coffee bean container	1	I	1	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	600 gr	600 gr	600 gr	600 gr
Water tank capacity	2.5	2.5	2.5	2.5
Coffee ground capacity	18	18	18	18
Number of direct selections	8	8	8	8
Compatible payment system	Saeco Pro.Up*	Saeco Pro.Up*	Saeco Pro.Up*	Saeco Pro.Up*
Number of machines per pallet	16	16	16	16
Price	€ 1215	€ 1215	€ 1215	€ 1320

^{*}Optional Royal Bluetooth kit

Accessories					Price	
9J075 I	Milk Cooler (peltier – I I)	•	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 l)	•	•	•	•	€ 605
9J0050	Royal Bluetooth kit (for Saeco Pro.Up)	•	•	•	•	€ 85
10005004	Royal cabinet (black/silver)	•	•	•	•	€ 470

Royal Plus



		S pecial V oltage	S pecial V oltage	S pecial V oltage
Model	9J0060	9J0069	9J0062	9J0063
	OCS SAE NEW ROYAL PLUS 230/50	OCS SAE NEW ROYAL PLUS RI 220/60 BRA	OCS SAE NEW ROYAL PLUS RI 127/60 BRA/OSA	OCS SAE NEW ROYAL PLUS 220/50 CHN
Dimensions ($w \times h \times d$)	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm
Weight	10 kg	10 kg	10 kg	10 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	220 V/60 Hz	127 V/60 Hz	220 V/50 Hz
Absorbed power	1400 W	1400 W	1400 W	1400 W
Plug type	SCH	BRA	BRA - USA	CHN
Boiler	I thermoblock	I thermoblock	I thermoblock	I thermoblock
Water supply connection	no	no	yes	no
Coffee bean container	1	I	I	I
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	600 gr	600 gr	600 gr	600 gr
Water tank capacity	2.5	2.5	2.5	2.5
Coffee ground capacity	18	18	18	18
Number of direct selections	6	6	6	6
Compatible payment system	Saeco Pro.Up**	Saeco Pro.Up	Saeco Pro.Up**	Saeco Pro.Up**
Number of machines per pallet	16	16	16	16
Price	€ 1050	€ 1095	€ 1095	€ 1050

^{**}Optional Royal Bluetooth kit

Maintenance accessories included in the machine						Price
263249	Lampo Cappuccinatore	√	√	•	√	*
264836	Stainless Steel Pannarello	•	•	√	•	*
20007320	Tuono Cappuccinatore	•	•	•	•	aje

 $[\]hbox{*To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model} \\$

Accessories						Price
9J0751	Milk Cooler (peltier – 1 I)	•	•	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	•	•	€ 605
9J0050	Royal Bluetooth kit (for Saeco Pro.Up)	•	√	•	•	€ 85
10005004	Royal cabinet (black/silver)	•	•	•	•	€ 470

Royal Plus



	S pecial V oltage	S pecial V oltage
Model	9J0064	9J0065
	OCS SAE NEW ROYAL PLUS 220/6 KOR	OCS SAE NEW ROYAL PLUS 120/60 USA+OSA
Dimensions (w \times h \times d)	280 × 398 × 460 mm	280 x 398 x 460 mm
Weight	10 kg	10 kg
Colour	black	black
Power supply	220 V/60 Hz	120V/60 Hz
Absorbed power	1400 W	1400 W
Plug type	KOR	USA
Boiler	I thermoblock	I thermoblock
Water supply connection	yes	no
Coffee bean container	I	I
Brewing group	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	600 gr	600 gr
Water tank capacity	2.5	2.5
Coffee ground capacity	18	18
Number of direct selections	6	6
Compatible payment system	Saeco Pro.Up**	Saeco Pro.Up**
Number of machines per pallet	16	16
Price	€ 1095	€ 1205

^{**}Optional Royal Bluetooth kit

Maintenance	e accessories included in the machine			Price
263249	Lampo Cappuccinatore	•	√	*
264836	Stainless Steel Pannarello	√	•	*
20007320	Tuono Cappuccinatore	•	•	s <u>t</u> ¢

 $[\]hbox{*To be ordered via e-commerce - following e-commerce discounts - https://ecommerce.evocagroup.com/SAECO/SAECO/model}$

Accessorie	es			Price
9J075 I	Milk Cooler (peltier – 1 I)	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 l)	•	•	€ 605
9J0050	Royal Bluetooth kit (for Saeco Pro.Up)	•	•	€ 85
10005004	Royal cabinet (black/silver)	•	•	€ 470

Royal Black



Special **V**oltage

Model	9J0040	9J0042	9J0043	9J0044
	OCS SAE NEW ROYAL BLACK 230/50	OCS SAE NEW ROYAL BLACK 220/50 CHN	OCS SAE NW.ROYAL BLCK KOREA+OSA 220V 60Hz	OCS SAE NEW ROYAL BLACK 230/50 ITA
Dimensions ($w \times h \times d$)	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm	280 × 398 × 460 mm
Weight	10 kg	10 kg	10 kg	10 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	220 V/50 Hz	220 V/60 Hz	230 V/50 Hz
Absorbed power	1400 VV	1400 W	1400 W	1400 W
Plug type	SCH	CHN	KOR	SCH
Boiler	I	I	I	I
Coffee bean container	I thermoblock	I thermoblock	I thermoblock	I thermoblock
Brewing group	6 - 10 gr	6 - 10 gr	6 - 10 gr	6 - 10 gr
Coffee bean container capacity	600 gr	600 gr	600 gr	600 gr
Water tank capacity	2.5	2.5	2.5	2.5
Coffee ground capacity	18	18	18	18
Number of direct selections	4	4	4	4
Compatible payment system	Saeco Pro.Up*	Saeco Pro.Up*	Saeco Pro.Up*	Saeco Pro.Up
Number of machines per pallet	16	16	16	16
Price	€ 900	€ 900	€ 900	€ 965

^{*}Optional Royal Bluetooth kit

Accessories						Price
9J0050	Royal Bluetooth kit (for Saeco Pro.Up)	•	•	•	√	€ 85
10005004	Royal cabinet (black/silver)	•	•	•	•	€ 470

SE50



Special **V**oltage

- posta				
Model	9J0090	9J0091		
	OCS SE 50 IGR. 220-230V / 50-60Hz	OCS SE 50 IGR. 220V-60Hz BRA		
Dimensions ($w \times h \times d$)	460 × 290 × 425 mm	1 460 × 290 × 425 mm		
Weight	20 kg	20 kg		
Colour	stainless steel	stainless steel		
Power supply	220-230 V/50-60 Hz	220V /60 Hz		
Absorbed power	2600 W	2600 W		
Plug type	SCH	BRA		
Boiler	3 heating elements	3 heating elements		
Water tank capacity	2.5	2.5		
Number of direct selections	2	2		
Number of machines per pallet	8	8		
Price	€ 1915	€ 1915		

Accessories				Price
10005010	M50 dosing grinder (220-240 V/50-60 Hz)	•	•	€ 455
10000042	M50 dosing grinder (220 V/60 Hz Bra)	•	•	€ 455

PORTIONED

Area OTC / Focus



Model	9J0164	9J0162	9J0163	9J0161
	OCS SAE AREA OTC HSC M BLK LB 230/50 SCH	OCS SAE AREA OTC HSC M BLK NES 230/50 SCH	OCS SAE AREA FOCUS MAN BLK LB 230/50 SCH	OCS SAE AREA FOCUS MAN BLK NES 230/50 SCH
Dimensions ($w \times h \times d$)	280 × 380 × 480 mm	280 × 380 × 480 mm	280 × 380 × 480 mm	280 × 380 × 480 mm
Weight	9 kg	9 kg	9 kg	9 kg
Colour	black	black	black	black
Power supply	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz	230 V/50 Hz
Absorbed power	1300 W	1300 W	1300 W	1300 W
Plug type	SCH	SCH	SCH	SCH
Boiler	2 thermoblocks	2 thermoblocks	I thermoblock	I thermoblock
Water supply connection	optional (with the water supply kit)	optional (with the water supply kit)	optional (with the water supply kit)	optional (with the water supply kit)
Capsules ejection	semi-automatic	semi-automatic	semi-automatic	semi-automatic
Adjustable cup holder grid*	yes – h 90–140–160 mm	yes - h 90-140-160 mm	yes – h 90–140–160 mm	yes – h 90–140–160 mm
Number of direct selections	8	8	4	4
Integrated hot water spout	yes	yes	yes	yes
Fresh milk management	yes	yes	no	no
High speed milk	yes	yes	no	no
Water tank capacity	4	4	4	4
Exhausted capsules container capacity	40	40	40	40
Drip tray capacity	2.5	2.5	2.5	2.5
Number of machines per pallet	16	16	16	16
Price	€ 1250	€ € 1250	€ 1125	€ 1125

^{*90} mm height can be obtained by lowering the coffee dispenser

Accessories					Price	
9J0751	Milk Cooler (peltier – 1 I)	•	•	х	х	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	•	х	х	€ 605
9J0196	Area water connection tank kit	•	•	•	•	€ 410

Area OTC / Focus



	S pecial V oltage			
Model	9J0151	9J0154	9J0152	9J0311
	AREA OTC NES KOR 220/60	AREA FOCUS NES 220/60 BRA	AREA OTC NES 120/60 USA	OCS SAE AREA OTC LB 120V/60 USA
Dimensions ($w \times h \times d$)	280 × 380 × 480 mm			
Weight	9 kg	9 kg	9 kg	9 kg
Colour	black	black	black	black
Power supply	220 V/60 Hz	220 V/60 Hz	120 V/60 Hz	120 V/60 Hz
Absorbed power	1300 W	1300 W	1300 W	1300 W
Plug type	KOR	BRA	USA	USA
Boiler	2 thermoblocks	I thermoblock	2 thermoblocks	2 thermoblocks
Water supply connection	optional (with the water supply kit)			
Capsules ejection	semi-automatic	semi-automatic	semi-automatic	semi-automatic
Adjustable cup holder grid*	yes – h 90–140–160 mm			
Number of direct selections	8	4	8	8
Integrated hot water spout	yes	yes	yes	yes
Fresh milk management	yes	no	yes	yes
High speed milk	yes	no	yes	yes
Water tank capacity	4	4	4	4
Exhausted capsules container capacity	40	40	40	40
Drip tray capacity	2.5	2.5	2.5	2.5
Number of machines per pallet	16	16	16	16
Price	€ 1250	€ 1125	€ 1400	€ 1400

^{*90} mm height can be obtained by lowering the coffee dispenser

Accessories Price					Price	
9J0751	Milk Cooler (peltier – 1 I)	•	х	•	•	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	х	•	•	€ 605
9J0196	Area water connection tank kit	•	•	•	•	€ 410

Area Pro-Disc OTC / Focus



Model	9J0103	9J0112
	OCS SAE AREA OTC HSC M NES PRO- DISC 230/50 SCH	OCS SAE AREA FOCUS M NES PRO- DISC 230/50 SCH
Dimensions (w \times h \times d)	280 × 380 × 480 mm	280 × 380 × 480 mm
Weight	9 kg	9 kg
Colour	black	black
Power supply	230 V/50 Hz	230 V/50 Hz
Absorbed power	1300 ₩	1300 W
Plug type	SCH	SCH
Boiler	2 thermoblocks	I thermoblock
Water supply connection	optional (with the water supply kit)	optional (with the water supply kit)
Pods ejection	semi-automatic	semi-automatic
Adjustable cup holder grid*	yes – h 90–140–160 mm	yes - h 90-140-160 mm
Number of direct selections	8	4
Integrated hot water spout	yes	yes
Fresh milk management	yes	no
High speed milk	yes	no
Water tank capacity	4	4
Exhausted pods container capacity	45	45
Drip tray capacity	2.5	2.5
Number of machines per pallet	16	16
Price	€ 1315	€ 1185

^{*90} mm height can be obtained by lowering the coffee dispenser

Accessories				Price
9J075 I	Milk Cooler (peltier – 1 I)	•	х	€ 210
9J0752	FR7L-N Fridge (compressor – 7 I)	•	x	€ 605
9J0196	Area water connection tank kit	•	•	€ 410

SOFTWARE







Saeco Pro.Up is the cloud solution for Royal & Magic new range of machines, that makes them remotely manageable (consumption & credits).

Thanks to Pro.Up technicians can remotely set up and configure coffee machines and users can safely select their drinks via smartphone.









Machine registration

Operators can view their entire machine park via a simple cloud interface and manage credits, alarms, drinks and and modify web-portal statistics.



Multi-profile/area management

Multi-profile management allows the operator to create unlimited profiles to get access quickly.



Machine control (app & data)

With Saeco Pro.Up, technicians can easily activate and configure coffee machines with their smartphone via Bluetooth®.



Credit management (WEB portal & app)

The registered user can place an order of credits and download them in the machine if authorized by the operator.



In-app selection

Pro.Up also provides in-app selection for a completely touchless consumer experience.

ACCESSORIES



^{*} For information on prices and licenses management contact the area manager

ACCESSORIES

Accessories

Code	Description	Price	
9J0751	Milk Cooler (peltier – 1 I) number of Milk Coolers per pallet: 120	€ 210	
9J0752	FR7L-N Fridge (compressor – 7 l) number of fridges per pallet: 36	€ 605	- Chance
10005010	M50 dosing grinder (220-240 V/50-60 Hz) number of dosing grinders per pallet: 36	€ 455	
10000042	M50 dosing grinder (220 V/60 Hz Bra) number of dosing grinders per pallet: 36	€ 455	
10005310	IperAutomatica cabinet (black)	€ 720	
10005004	Aulika-Royal cabinet (black/silver)	€ 470	
9J0192	Coin Box (coin box for Aulika Evo Top/Office, painted black, to be used with coin validators; includes key lock and internal coin collector box)	€ 160	
969147	10-pin cable for RM5 validator	€ 10	
969148	Front plate for RM5 validator	€ 10	
969149	RM5 validator	€ 260	
958563	16-pin cable for RM5 validator	€ 10	
9J0050	Royal Bluetooth kit	€ 85	

Code	Description	Price	
9]0196	Area water connection tank kit	€ 410	
9J0480	Magic external tank kit (Not compatible with water mains versions)	€ 30	
9J0481	Magic Liquid drain kit	€ 65	

Maintenance & Service
To be ordered via e-commerce - following e-commerce discounts https://ecommerce.evocagroup.com/SAECO/SAECO/Model

Code	Description	
21002666	Descaling solution (250 ml - MOQ 12 pcs)	© Saco
21002665	Descaling solution (5 litres)	
21002660	Brita Intenza (MOQ 36 pcs)	© Sacco
21002663	Coffee clean tablets (MOQ 2 boxes of 12 pcs - every piece includes 10 tablets)	© Saeco
21002662	Milk circuit cleaning powder	Saeco
127390100	Cleaning brush	
421946017941	Lubricating grease	
0301.961	Water hardness tester	1111

Code	Description	
263249	Lampo Cappuccinatore kit	
20007320	Tuono Cappuccinatore kit	
264836	Stainless Steel Pannarello	
421946032811	Cappuccinatore kit for Aulika Evo Top and Focus (includes pipe and left and right outlet)	
264050	Royal OTC Cappuccinatore kit	Contract of the contract of th
9J0754	FR7L-N Fridge milk container	

General Conditions of Sale

I. SCOPE

These general conditions of sale (the "General Conditions") apply and form an integral part of all quotations and offers made by EVOCA S.p.A., SaGa Coffee S.p.A. or Ducale S.r.l. (each individually the "Company"), of all acceptances, acknowledgments and confirmations of the Company to Buyer's orders and all contracts ("Contracts") relating to the sale by the Company and the purchase by the Buyer of goods and services (the "Products"), unless and to the extent the Company explicitly agrees otherwise in writing.

Any terms and conditions set forth on any document or documents issued by Buyer either before or after issuance of any document by the Company setting forth or referring to these Terms and Conditions are hereby explicitly rejected and disregarded by the Company, and any such terms shall be wholly inapplicable to any sale made by the Company to Buyer and shall not be binding in any way on the Company.

Company's offers are open for acceptance within the period stated by the Company in the offer or, when no period is stated, within thirty (30) days from the date of the offer, but any offer may be withdrawn or revoked by the Company at any time prior to the receipt by the Company of Buyer's acceptance thereof.

Prices in any offer, confirmation or Contract are in Euros, based on delivery Ex-Works (INCOTERMS latest version) Company's manufacturing facility or other facility designated by the Company, unless agreed otherwise in writing between the Buyer and the Company and do not include any taxes, duties or similar levies, now or hereafter enacted, applicable to the Products or any other expenses. The Company will add taxes, duties and similar levies to the sales price where Company is required or enabled by law to pay or collect them and these will be paid by Buyer together with the price.

3. PAYMENT AND RETENTION OF TITLE

Unless agreed otherwise between the Company and the Buyer in writing the Company may invoice the Buyer for the price of the Products. Net payment is due in advance for delivery unless agreed otherwise between the parties in writing. All payments shall be made to the designated Company's address

If deliveries are made in installments, each installment may be separately invoiced and shall be paid for when due. No discount is allowed for early payment unless agreed to in writing by Company. In addition to any other rights and remedies the Company may have under applicable law, interest will accrue on all late payments as per section 5 of the Legislative Decree 231/2002, at a rate equal to the official ECB rate plus 8% or to the extent permitted by applicable law, from the due date until payment in full.

All deliveries of Products agreed to by the Company shall at all times be subject to credit approval of the Company. If, in Company's judgment, Buyer's financial condition at any time does not justify production or delivery of Products on the above payment terms, the Company may require full or partial payment in advance or other payment terms as a condition to delivery, and the Company may suspend, delay or cancel any credit, delivery or any other performance by the Company.

The Products subject to sale and purchase agreement do not become property of the Buyer before the

completion of the payment of the price according to art. 1523 and following of the Italian Civil Code. In case of total or partial seizure or foreclosure of the Products, the Buyer would have to immediately inform the Company so the latter could be entitled to enforce against the third party the reservation of title: the related expenses would be sustained by the Buyer. The Buyer, if required, undertakes to maintain on the goods, until the price will not be fully paid, a distinctive mark attesting the reservation of title in favour of the Company itself.

In the event of any default by Buyer in the payment of any fees or charges due, or any other default by Buyer, the Company shall have the right to refuse performance and/or delivery of any Products until payments are brought current and Company may suspend, delay or cancel any credit, delivery or any other performance by the Company. Such right shall be in addition to, and not in lieu of, any other rights and remedies available under the General Conditions, the Contract or at law.

4. DELIVERY AND OUANTITIES

The products will be delivered ExWorks (Incoterms) at the place designated by the Company save for different written agreement.

Delivery dates communicated or acknowledged by the Company are approximate only, and the Company shall not be liable for, nor shall the Company be in breach of its obligations to Buyer, for any delivery made within a reasonable time before or after the communicated delivery date. The Company agrees to use all commercially reasonable efforts to meet the delivery dates communicated or acknowledged by it on the condition that Buyer provides all necessary order and delivery information sufficiently prior to the such delivery date.

The Buyer will immediately notify the Company in writing the failure of the delivery giving a thirty (30) days period to remedy. If the Company does not deliver within such thirty (30) day period, Buyer's will have the rights to cancel the affected and undelivered portions of the related Contract.

Unless otherwise agreed and specified, all risks and liabilities inherent to the Products sold shall pass to Buyer at the time of delivery of the Products as defined above.

If Buyer fails to take delivery of Products ordered, then the Company may deliver the Products in consignment at Buyer's cost.

In the event Company's production is curtailed for any reason, the Company shall have the right to allocate its available production and Products, in its sole discretion, among its various customers and as a result may sell and deliver to Buyer fewer Products than specified in the Contract, as the case may be, without being responsible or liable to Buyer for any damage resulting therefrom.

5.ACCEPTANCE

At the delivery the Buyer will verify the correspondence to what indicated in the order and in the delivery documentation. All claims for any missing or exceeding quantity, or for any discrepancy in respect to the contractual specifications, shall have to be communicated in written within 8 (eight) business days from the delivery date. Any claim shall have to be forwarded in written and shall highlight in a detailed way the non-compliance of the supply in respect to what indicated in the order and in the delivery documentation. Within a reasonable period of time, the Company will verify the claims of the Buyer and, in case of acceptance of the same, the Company will proceed to correct the determined discrepancies. In case within the above-mentioned term of 8 (eight) business days no claim is advanced, the goods will be deemed as accepted by the Buyer.

6. DESTINATION OF THE PRODUCTS

Buyer acknowledges that the Products sold by the Company are designed and intended for a professional use in a professional environment (i.e. business, commercial and public locations such as hotels, bars, restaurants, cafes, cafeterias, bakeries, factories, taverns, conference and shopping centers, offices, rail and gasoline stations, expressly excluding any home or domestic locations).

Products shall be distributed through professional channels specifically directed at professional customers. Except for Saeco Lirika models, the Products can be also distributed through mixed channels, i.e. directed to both consumers and professional customers (such as online channels).

7. FORCE MAJEURE

The Company shall not be liable for any failure or delay in performance if such failure or delay results from interruptions in the Product manufacturing process or if such failure or delay is caused by Force Majeure as defined below and/or by law.

In case of such a failure as set forth above, the performance of the relevant part(s) of the Contract will be suspended for the period such failure continues, without Company being responsible or liable to Buyer for any damage resulting therefrom.

The expression "Force Majeure" shall mean and include any circumstances or occurrences beyond Company's reasonable control - whether or not foreseeable at the time of the Contract - as a result of which Company cannot reasonably be required to execute its obligations including force majeure and/ or default by one of Company's suppliers. In the event that the Force Majeure extends for a period of three (3) consecutive months (or in the event that the delay is reasonably expected by the Company to extend for a period of three (3) consecutive months), the Company shall be entitled to cancel all or any part of the Contract without any liability towards Buyer.

8. RIGHTS IN SOFTWARE, DOCUMENTATION AND INTELLECTUAL PROPERTY

Subject to the provisions set forth herein, the sale by the Company of any goods implies the nonexclusive and non-transferable limited license to Buyer under any of Company' and/or its affiliates' intellectual property rights ("Company's IPR") used in the goods to use and resell the goods as sold by Company to Buyer.

To the extent that software and/or documentation is embedded in or delivered with any goods sold by Company to Buyer, the sale of such goods shall not constitute the transfer of ownership rights or title in such software and/or documentation to Buyer, but, subject to the provisions set forth herein, shall only imply a non-exclusive and non-transferable license to Buyer under Company's IPR used in the software to use such software and/or documentation in conjunction with and as embedded in or delivered with the goods as supplied by Company to Buyer.

Notwithstanding anything to the contrary herein, these Terms and Conditions shall not be construed as conferring any right, license or immunity, either directly or by implication, estoppel or otherwise to Buyer or any third party under any Company's IPR or intellectual property rights of any third party other than explicitly granted under these Terms and Conditions.

Buyer shall not: (a) modify, adapt, alter, translate, or create derivative works from any software residing in or provided by Company in conjunction with any goods; (b) assign, sublicense, lease, rent, loan, transfer, disclose, or otherwise make available such software; (c) merge or incorporate such software with or into any other software; or (d) reverse assemble, decompile, disassemble, or otherwise attempt to derive the source code for such software without written authorization from Company except as explicitly allowed under applicable law. Buyer shall reproduce, without any amendments or changes thereto, any proprietary rights legends of Company and/or its affiliates or its third party suppliers in any software or documentation provided by Company. If and to the extent copyright in the software is owned by third parties, the license terms of these third parties shall apply instead of the present Terms and Conditions

9. WARRANTY

Buyer acknowledges and by placing the order accepts, that in amendment of articles 1490 and 1491 of the Italian Civil Code, the Company is not bound by the warranty for the defects of the Products sold, nor by any other warranty, whether implied or erxpress (including without limitation of fitness for a particular purpose, merchantability, etc.).
Parties acknowledge that the Prices of the Products reflect the above exclusions of warranty and related

allocation of risks between Buyer and the Company.

Subject to the rights, exclusions and limitations set forth in Sections 5, 10 and 11 of these Conditions, the foregoing states the entire liability of the Company in connection with defective or non-conforming Products supplied under the Contract.

10. INTELLECTUAL PROPERTY RIGHTS INDEMNITY

The Company, at its sole expense shall: (i) defend any legal proceeding brought by a third party against Buyer to the extent that the proceeding includes a claim that any Product as furnished by the Company under a Contract directly infringes the claimant's patent, copyright, trademark, or trade secret; and (ii) hold Buyer harmless against damages and costs awarded by final judgment in such proceeding to the extent directly and solely attributable to such infringement.

The Company shall have no obligation or liability to Buyer:

- if the Company is not: (i) promptly notified in writing of any such claim; (ii) given the sole right to control and direct the investigation, preparation, defense and settlement of such claim, including the selection of counsel; and (iii) given full reasonable assistance and cooperation by Buyer in such investigation, preparation, settlement and defense;
- if the claim is made after a period of three (3) years from the date of delivery of the Product;
- to the extent that any such claim arises from: (i) modification of the Product if the claim of infringement would have been avoided by use of the unmodified Product; or (ii) design, specifications or instructions furnished by Buyer:
- to the extent the claim is based directly or indirectly upon the quantity or value of products manufactured by means of the Product or upon the frequency of use or the amount of use of the Product irrespective of whether such claim alleges that the Product as such, or its use, infringes or contributes to the infringement of any intellectual property rights of the claimant;
- for unauthorized use or distribution of the Product or use beyond the specifications of the Product;
- to the extent any such claim arises from Buyer's manufacture, use, sale, offer for sale, importation or other disposition or promotion of the Product after Company' notice to Buyer that Buyer should cease any such activity, provided such notice shall only be given if the Product is, or in Company' opinion is likely to become, the subject of such a claim of infringement;
- for any costs or expenses incurred by Buyer without Company' prior written consent;
- to the extent the claim is based on any prototypes, or Open Source Software, or software provided
- by Buyer or any of its designees to Company and/or its affiliates; to the extent any such claim arises from any infringement or alleged infringement of third party's intellectual property rights covering a standard set by a standard setting body and/or agreed between
- for infringement of any third party's intellectual property rights covering the manufacture, testing or application of any assembly, circuit, combination, method or process in which the Product may have
- for infringement of any third party's intellectual property rights with respect to which Company or any of its affiliates has informed Buyer, or has published (in a datasheet or other specifications concerning the Product or elsewhere) a statement, that a separate license has to be obtained.

For such claims of infringements referred to in this Section 10, Buyer shall indemnify Company and its affiliates against and hold them harmless from any damages or costs arising from or connected with such claims and shall reimburse all costs incurred by Company and its affiliates in defending any claim, demand, suit or proceeding for such infringement, provided Company gives Buyer prompt notice in writing of any

such suit or proceeding for infringement.

If any Product is, or in Company's opinion is likely to become, the subject of a claim of infringement as referred to under Section 10 or if the Company receives from a third party claiming infringement of third party Intellectual property rights in relation to any of the Products, the Company shall have the right, without obligation or liability and at its sole option, to: (i) procure for Buyer the right to continue to use or sell the Product; (ii) provide replacement Product with a non-infringing product, or (iii) modify the Product in such a way as to make the modified Product non-infringing; or (iv) repurchase such Product from the Buyer for the initial price paid by Buyer less reasonable depreciation; or (v) suspend or discontinue supplies to Buyer of the Products or parts to which such notice relates or (vi) terminate any Contract to the extent related to such Product.

Subject to the exclusions and limitations set forth in Section 9 of the Terms and Conditions, the foregoing states Company's entire liability and obligation to Buyer and Buyer's sole remedy with respect to any actual or alleged infringement of any intellectual property rights or any other proprietary rights of any kind.

II. LIMITATION OF LIABILITY

THE COMPANY SHALL NOT BE LIABLE FOR ANY LOST PROFITS, LOST SAVINGS, LOSS OF REPUTATION, LOSS OF GOODWILL, INDIRECT, INCIDENTAL, PUNITIVE, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR IN CONNECTION WITH THE CONTRACT OR THE SALE OF ANY PRODUCTS OR SERVICES BY THE COMPANY OR THE USE THEREOF WHETHER OR NOT SUCH DAMAGES ARE BASED ON TORT, WARRANTY, CONTRACT OR ANY OTHER LEGAL THEORY — EVEN IF COMPANY HAS BEEN ADVISED, OR IS AWARE, OF THE POSSIBILITY OF SUCH DAMAGES.

COMPANY'S AGGREGATE AND CUMULATIVE LIABILITY TOWARDS BUYER UNDER ANY CONTRACT SHALL NOT EXCEED AN AMOUNT OF TEN PERCENT (10%) OF THE RELATED CONTRACT.

Any Buyer's claim for damages must be brought by Buyer within ninety (90) days of the date of the event giving rise to any such claim, and any lawsuit relative to any such claim must be filed within one (1) year of the date of the claim. Any claims that have been brought or filed not in accordance with the preceding sentence are null and void.

The limitations and exclusions set forth above in this Section II shall apply only to the extent permitted by applicable mandatory law.

12. CONFIDENTIALITY

Buyer acknowledges that all technical, commercial and financial data disclosed to Buyer by the company and/or its affiliates is the confidential information of Company and/or its affiliates. Buyer shall not disclose any such confidential information to any third party and shall not use any such confidential information for any purpose other than as agreed by the parties and in conformance with the purchase transaction contemplated herein.

13. EXPORT/IMPORT CONTROLS

Buyer understands that certain transactions of the Company are subject to export control laws and regulations, including but not limited to the UN, EU and the USA export control laws and regulations ("Export Regulations"), which prohibit export or diversion of certain products and technology to certain countries. Any and all obligations of Company to export, re-export or transfer Products as well as any technical assistance, training, investments, financial assistance, financing and brokering will be subject in all respects to such Export Regulations and will from time to time govern the license and delivery of Products and technology abroad by persons subject to the jurisdiction of the relevant authorities responsible for such Export Regulations. If the delivery of products, services and/or documentation is subject to the granting of an export or import license by certain governmental authorities or otherwise restricted or prohibited due to export/import control regulations, Company may suspend its obligations and the Buyer's/end-user's rights until such license is granted or for the duration of such restrictions or prohibitions. Furthermore, Company may even terminate the relevant order in all cases without incurring any liability towards the Buyer or end-user:

Buyer warrants that it will comply in all respects with the export, re-export and transfer restrictions set forth in such Export Regulations or in export licenses (if any) for every Product supplied to Buyer. Buyer accepts the responsibility to impose all export control restrictions to any third party if the items are transferred or re-exported to third parties. Buyer shall take all actions that may be reasonably necessary to ensure that no customer/purchaser or end-user contravenes such Export Regulations. Buyer shall indemnify Company against any and all direct, indirect and punitive damages, loss, costs (including attorney's fees and costs) and other liability arising from claims resulting from Buyer's or its customers' breach or non-compliance with this section.

Buyer acknowledges that the obligations contained in these General Conditions shall survive the termination of any agreement of other arrangement under which the products, software or technology was provided to Buyer. In addition, in the event of any conflict in the terms provided in these General Conditions with any other document entered into between Buyer and Company, Buyer understands that the terms of these General Conditions shall control and be binding upon Buyer.

14.ASSIGNMENT AND SETOFF

Buyer shall not assign any rights or obligations under the Contracts without the prior written consent of Company. Buyer shall have no right to withhold or reduce any payments or to offset existing and future claims against any payments due for Products sold under the Contracts or under any other agreement that Buyer may have with Company or any of its affiliates may have and agrees to pay the amounts hereunder regardless of any claimed offset which may be asserted by Buyer or on its behalf.

15.ANTI-BRIBERY

Buyer agrees that it now and in future shall comply with national law on prevention of bribery, as well as any other law transforming from ratification of the OECD Convention on Combating Bribery of Foreign Public Officials in International Business Transactions (including the US Foreign Corrupt Practices Act). In general, the law makes it illegal to bribe or make a corrupt payment to an Official for the purpose of obtaining or retaining business, directing business to any person, or securing any improper advantage.

Buyer's failure to comply with any provision of this section is ground for immediate termination of any Contract by Company (or its respective affiliate(s)), without Company' incurring any liability towards Buyer. In the event of such termination, (i) Company shall be under no obligation to supply any Product to Buyer, (ii) Buyer shall be responsible for and indemnify Company for any damages, claims, penalties or other losses (including attorneys' fees) that may be asserted against or incurred by Company as a result of Buyer's breach of this section; and (iii) Company shall be entitled to any other remedies available at law or in equity. The terms and conditions of this section shall survive any expiration or termination of these General Conditions.

Company will only do business with those companies that respect the law and adhere to ethical standards and principles and in particular the Buyer undertakes to respect the Code of Business Conduct of EVOCA GROUP, to which the Company belongs, as published on the Company's web site www.evocagroup.com/ethical-code. Should Company receive any information to the contrary, Company will inform and Buyer agrees to cooperate and provide whatever information is necessary to allow Company to decide whether there is any basis to any allegation received and whether the Contract should continue. Such information includes, but is not limited to, books, records, documents, or other files.

16.APPLICABLE LAW AND COMPETENT COURT

All proposals, offers, confirmations and Contracts are regulated by the Italian laws. All disputes arising out of or in connection with any Contract shall first be attempted by the Buyer and the Company to be settled through consultation and negotiation in good faith in a spirit of mutual cooperation. All disputes which cannot be resolved amicably shall be submitted to the exclusive jurisdiction of the courts of Milan, Italy, provided that the Company shall always be permitted to bring any action or proceedings against Buyer in any other court of competent jurisdiction. The United Nations Convention on Contracts for the International Sale of Goods shall not apply to any offer, confirmation or Contract. Nothing in this Section shall be construed or interpreted as a limitation on either Company's or Buyer's right under applicable law for injunctive or other equitable relief or to take any action to safeguard its possibility to have recourse on the other party.

17. BREACH AND TERMINATION

Without prejudice to any rights or remedies the Company may have under the General Conditions, the Contracts or at law, the Company may, by written notice to the Buyer, terminate with immediate effect the Contract or any part thereof, in accordance with the provisions of article. I 456 of the Italian Civil Code, without any liability whatsoever and without excluding the possibility of asking for damages to the Buyer, in case Buyer violates or breaches any of the provisions of the General Conditions and in particular:

- its obligations concerning payment as per section 3;
- obligations concerning rights in software, documentation and intellectual property as per section 8;
- obligations concerning confidentiality as per section 12;
- any proceedings in insolvency, bankruptcy (including reorganization) liquidation or winding up are
 instituted against Buyer, whether filed or instituted by Buyer, voluntary or involuntary, a trustee or
 receiver is appointed over Buyer, or any assignment is made for the benefit of creditors of Buyer; or
- · the control or ownership of Buyer changes.

Upon occurrence of any of the events referred to above, all payments to be made by Buyer under the Contracts shall become immediately due and payable.

In the event of cancellation, termination or expiration of a Contract the terms and conditions destined to survive such cancellation, termination or expiration shall so survive.

18. PROCESSING OF PERSONAL DATA

The Parties undertake to comply with any obligation under Regulation (EU) 2016/679 of the European Parliament and of the Council on the "protection of natural persons with regard to the processing of personal data and on the free movement of such data" (hereinafter "GDPR"), as well as with the domestic legislations on such matter and with the rulings of the national Supervisory Authority for personal data protection.

By executing the General Condition and the Contract, each Party recognizes and acknowledges that the personal data (e.g. names, business email address, etc.) of its own employees/collaborators, involved in the activities provided for in the Contract, shall be disclosed to the other Party and by this latter processed as Controller for purposes inherently related to the entering into and execution of the same Contract and undertakes here and now to divulge such circumstance to its own employees/collaborators, in accordance with its own possible internal procedures. In particular Buyer acknowledges that the personal data (e.g. names, business email address, etc.) of its own employees/collaborators will be processed according to the information notice available on the website www.evocagroup.com which the Buyer declares to know in full and undertakes to consult regularly to verify any changes or additions. Buyer undertakes to bring this information to the knowledge of its employees/collaborators.

19. MISCELLANEOUS

In the event that any provision(s) of these General Conditions shall be held invalid or unenforceable by a court of competent jurisdiction or by any future legislative or administrative action, such holding or action shall not negate the validity or enforceability of any other provisions thereof. In the event that any provision of these General Conditions shall finally be determined to be unlawful or unenforceable, such provision shall be deemed severed from these General Conditions, but every other provision shall remain in full force and effect, and in substitution for any such provision held unlawful or unenforceable, there shall be substituted a provision of similar import reflecting the original intent of the clause to the extent permissible under applicable law.

The failure on the part of either party to exercise, or any delay in exercising, any right or remedy arising from the General Conditions shall not operate as a waiver thereof, nor shall any single or partial exercise of any right or remedy arising there from preclude any other or future exercise thereof or the exercise of any other right or remedy arising from the General Conditions or by law.